



### Forest Health

- Periodic natural fires regenerate the forest ecosystem by burning out brush and small diameter trees
  - Decreased competition among remaining trees
  - -Returns nutrients to soil
- •Years of active fire suppression on private and public land in the west have led to unnaturally high forest fuel loads
  - —Small-diameter trees (<6" diameter)
  - **Brush**
  - —Dead wood

# Many Forests in the Western US Are at Elevated Risk for Wildfire • High fuel density enables 'catastrophic wildfires' Burns hotter than natural fires Can consume both large and small trees Long eco-system recovery Expensive to fight Dangerous for firefighting personnel • As of 2002, the US Forest Service listed 120 million acres at "unnatural risk" for wildfire
















## Woody Biomass Trees & woody plants, including limbs, tops, needles, leaves, and other woody parts. Grown in a forest, woodland, or rangeland. Products of forest management, restoration, hazardous fuel reduction treatments.



Federal Interagency (DOE, DOI, USDA) Biomass Working Grou









## The Way It Works

- Select Demonstration School: Schools with financial need close to forested lands needing thinning.
- Fund Engineering Assessment: Federal-State partnership conducts due diligence to assist schools and governments in making final decision.

www.fuelsforschools.org

## The Way It Works

- Forest Restoration:
  - Focusing on restoring healthy forests in mixed ownership.
- Thin Urban Interface:

Prioritize thinning near homes to reduce fire risks to communities.

www.fuelsforschools.or





### A Demonstration Story


- Darby, Montana
- First project of the Forest
   Service's Fuels for Schools initiative
- Community driven
- Grant from USDA Forest Service
- Built summer 2003
  - now operational


www.fuelsforschools.org

### Darby, MT Demo

- 82,500 square feet with 550 students
- Converted their three schools from fuel oil to biomass heat energy
- Darby saved \$90,000 in heating costs in 2005-06.

www.fuelsforschools.or

















Est. Annual Cumulative Biomass Resources Available by Price in Utah (3/99, ORNL)						
Delivered Price	<\$20/dt	<\$30/dt	<\$40/dt	<\$50/dt		
Urban Wastes	138,765	231,275	231,275	231,275		
Mill Wastes	20,000	67,000	67,000	102,000		
Forest Residue	0	90,000	133,000	173,000		
Ag Residues	0	0	216,546	216,546		
Switchgrass	0	0	0	0		
Short Rotation Woody Crops	0	0	0	0		
Total	158,765	388,275	647,821	722,821		







Number of Boilers in Size Ranges				
BOILER SIZE RANGE(BTU/hr)				
<= 500,000	5,141			
500,001 - 1,000,000	2,452			
1,000,001 - 10,000,000	4,284			
10,000,001 - 20,000,000	217			
20,000,001 - 50,000,000	140			
>50,000,000	73			

Number of Boilers by Fuel Type				
<b>EXISTING FUEL</b>	NUMBER OF			
TYPE	<b>BOILERS</b>			
Gas	11,652 (95%)			
Electric	356			
Coal	118			
Propane	78			
Oil	68			
Other	40			


### **Number of Boilers in Age Ranges**

BOILER AGE RANGE	NUMBER OF BOILERS
< 10 years	5,668
10 – 19 years	3,344
<b>20 – 29 years</b>	1,732
30 - 39 years	724
40-49 years	442
50 + years	353
40 – 49 years	442

Number of Boilers by Facility Type			
FACILITY TYPE	NUMBER OF BOILERS		
Private Entity or Unknown	7,274		
School	2,396		
Church	945		
Government	914		
Health	446		
<b>Higher Education</b>	333		

### Payback Scenarios All Boilers

Payback if replacing anyway	number of boilers	payback if you don't have to replace	number of boilers
< 5 years	84	< 5 years	15
5 to <10 years	158	5 to <10 years	88
10 to <15 years	257	10 to <15 years	160
15 to 20 years	245	15 to 20 years	191
> 20 years	11,407	> 20 years	11,697



### **New Boiler Installations**

- Using the past as a predictor of the future, this information suggests that about 90 boilers will be installed each year that would be viable as biomass systems.
- If each of those 90 boilers installed each year were fueled by woody biomass, that would translate to a new wood demand of 80,289 tons of wood per year, which could be generated from thinning approximately 8,000 acres per year, based on 10 tons of excess biomass per acre.

www.fuelsforschools.or

